



PLAST

A division of Salvaris Group

INDUSTRIAL PRODUCT CATALOGUE · 2026

Stretch Film Made in the EU

Hand, machine, mini and jumbo stretch film manufactured to your specifications, with private-label packaging and direct volume pricing.

SUPPLY OVERVIEW

Specification-led industrial packaging supply

Salvaris Plast is the industrial packaging division of Salvaris Group Ltd. We work with manufacturing partners established in the European Union to supply stretch film and related industrial packaging to distributors, resellers and industrial procurement teams.



- Manufactured to customer specifications
- Direct volume pricing
- Private-label production
- Customized roll labels and cartons
- Neutral delivery directly to the end customer
- PCR content available on request

PRODUCT RANGE

01	Hand stretch film	02	Machine stretch film
03	Mini stretch film	04	Jumbo stretch film
05	Coloured stretch film	06	PCR stretch film
07	LDPE heat-shrink film	08	Related packaging

01 · MANUAL PALLET WRAPPING

Hand stretch film

Clear hand stretch film for manual pallet stabilization, warehouse dispatch and general load containment, with defined coloured versions available.



AVAILABLE SPECIFICATIONS

Colour	Clear
Widths	450 mm and 500 mm
Thickness	12–35 µm
Stretch	150–250%
Coloured versions	Black, white or blue
Coloured specification	23 µm and 150% stretch

Buyer applications

Manual wrapping of palletized goods, reinforcement around selected load areas and warehouse or dispatch operations where film is applied by hand.

Supply options

Specify roll length or roll weight, commercial quantity, colour and private-label presentation. Customized roll labels and cartons are available.

Provide the pallet profile, load type, target width, thickness, stretch and roll configuration for a like-for-like quotation.

02 · AUTOMATED AND SEMI-AUTOMATED WRAPPING

Machine stretch film

Machine pallet wrap in Standard, Power and Super Power grades for defined equipment, load and stretch requirements.



Colour	Clear
Width	500 mm
Thickness	12–35 µm
Standard	150%
Power	250%
Super Power	Up to 300%
Coloured versions	Black, white or blue
Coloured specification	23 µm and 150% stretch

STANDARD

150% stretch

For requirements defined around the standard stretch category.

POWER

250% stretch

Power stretch film for compatible machinery and operating requirements.

SUPER POWER

Up to 300%

Higher-stretch specification subject to the agreed machine and application brief.

Include the wrapping equipment, pallet profile, current film specification and required stretch category in the RFQ.

03-04 · NARROW AND CONVERTING FORMATS

Mini and jumbo stretch film

Narrow mini rolls for bundling and compact wrapping, plus jumbo master rolls for converting and rewinding requirements.



Mini stretch film

Also described as bundling, narrow or cut stretch film in catalogue terminology.

Widths	100, 125 and 250 mm
Core diameters	38, 50 and 76 mm
Clear thickness	12–35 µm
Coloured versions	Black, white or blue
Coloured thickness	23 µm
Stretch	150%

Jumbo stretch film

Large-roll format for buyers with conversion, slitting or rewinding requirements.

Colour	Clear or coloured
Width	500 mm
Thickness	17–35 µm
Stretch	150%

For mini film, state the core diameter. For jumbo film, include the intended converting process together with the full roll and film specification.

05-06 · COLOUR, PCR AND CUSTOM SUPPLY

Configured around the purchasing brief

Define colour, recycled content and customer-specific parameters alongside the base product format and commercial volume.



COLOURED FILM

Black, white or blue

Available in the defined hand, machine and mini specifications. Jumbo film is available clear or coloured.

PCR CONTENT

Percentage on request

State the desired post-consumer recycled percentage. Pricing depends on the requested percentage and complete specification.

CUSTOM SPECIFICATION

Built from confirmed ranges


Define format, width, thickness, stretch, colour, roll configuration, quantity and presentation for technical and commercial review.

Requirements outside the published ranges are reviewed as requests; they are not implied to be standard availability.

07 · HEAT-SHRINK PACKAGING

LDPE heat-shrink film

Polyethylene heat-shrink film for industrial wrapping and protection, supplied in a range of converted formats.



Minimum thickness	30 µm
Minimum width	200 mm
Colours	Clear, black, white and blue
Formats	Tape, sleeves, half-sleeves, hoods, bags and sheets

Continuous formats

Tape, sleeves and half-sleeves for the specified packing process.

Finished formats

Hoods, bags and sheets manufactured to the agreed finished dimensions.

RFQ information

State finished size, thickness, colour, format, application and expected volume.

Minimum values define the starting range only. Provide the complete finished dimensions and application for quotation.

08 · RELATED PACKAGING

Protective packaging and load securing

Add related packaging requirements to a wider industrial supply enquiry or request them as defined wholesale items.



Bubble wrap

Protective bubble wrap for industrial and wholesale requirements. State format, dimensions, roll configuration, application and volume.



Packaging tapes

Acrylic, hot-melt and solvent adhesive packaging tapes. Add roll format, application, presentation and quantity to the RFQ.



PP strapping

Polypropylene strapping for specified industrial packaging requirements. Provide dimensions, operating context, roll specification and quantity.

No unlisted accessory dimensions or performance values are implied. Each item is quoted against the buyer's complete purchasing specification.

PRIVATE LABEL & DISTRIBUTION

Build a range under your brand

Connect the agreed product specifications with customer-facing roll labels, cartons, pallet composition and delivery requirements.



COMMERCIAL FRAMEWORK

- Salvaris brand or the customer's brand
- Customized roll labels and cartons
- Private-label MOQ: one EUR pallet
- Up to four specifications on one pallet, subject to confirmation
- Neutral delivery directly to the end customer
- Direct volume pricing

1

Select products. Define each film format and complete specification.

2

Prepare presentation. Map approved artwork to each roll label and carton.

3

Confirm pallet mix. Assign quantities to a maximum of four specifications, subject to confirmation.

4

Define delivery. Choose warehouse delivery or neutral delivery to your customer.

QUALITY CONTROL & TESTING

Technical review tied to the buyer's brief

R&D and testing capabilities available through our manufacturing partners support specification development and technical review. Scope, criteria and documentation requirements are agreed for each project.



Shrink testing	Lengthwise and crosswise film shrink
Sealing review	Sealing at defined temperatures and times
Friction testing	Film slip and friction behaviour
Tensile testing	Longitudinal and transverse stretch; seal strength in both directions
Microscope review	Surface imperfections and inclusions
Surface tension pens	Surface activation tension in mN/m
Pre-stretch simulation	Simulation of requested pre-stretch behaviour

Capability availability does not imply a certification, test result or pre-agreed acceptance criterion. Confirm the applicable method and scope for the project.

PRODUCTION CONTEXT

From specification to commercial review

Production and converting requirements are coordinated with our manufacturing partners around the agreed product brief.



Information to include

- Product and application
- Width and thickness
- Roll length or roll weight
- Required stretch percentage
- Colour and desired PCR percentage
- Estimated quantity and delivery country
- Private-label and neutral-delivery requirements

Quotation basis

Pricing is prepared from the requested product specification, presentation, destination and expected volume. No public price list is provided.

Where a parameter is not yet known, describe the current product, equipment or intended application so the open point can be reviewed.

Email the purchasing brief to
lfarjon@salvarisgroup.com.

SPECIFICATIONS & PRICING

Discuss your product requirement

Send the product specification, application, expected volume, delivery country and private-label requirements for commercial review.

lfarjon@salvarisgroup.com
salvarisplast.com

Salvaris Group Ltd · Company No. 17138931 · Registered in England and Wales · Registered office: 71–75 Shelton Street, Covent Garden, London WC2H 9JQ, United Kingdom

Salvaris Plast is a division of Salvaris Group Ltd. Catalogue information is subject to confirmation against the requested specification and commercial quotation.